

**INDEX MAPS.**  
**T. 21N, R. 4E. 2<sup>nd</sup> Mer.**

	6	5	4	3	2	1
	7	8	9	10	11	12
		297	293	290	288	284
	297	297	293	290	287	284
281	18	297	17	293	16	290
	296	296	292	290	287	283
281	19	296	20	292	21	289
	295	295	292	289	286	283
281	30	295	29	291	28	288
	294	294	291	288	285	282
280	31	294	32	291	33	288
	278	278	274	274	274	277

**T. 26N, R. 4E. 2<sup>nd</sup> Mer.**

	305	304	304	303	303	303
305	6	324	5	320	4	316
	325	324	321	317	313	309
306	7	325	8	321	9	317
	326	326	322	318	314	310
306	18	327	17	322	16	318
	328	327	323	319	315	311
306	19	328	20	323	21	319
	329	328	323	320	316	312
307	30	329	308	324	308	313
	307	308	308	308	308	309
	31	32	33	34	35	36

Township N. 21 North, Range N. 4 East 2. Mer. Ind. 277

Township Lines.

Chs. Lns. South Boundary

West on the S. Boundary of Sec. 36

40.00 set gr. sec. post from which

an Ash 6 in. dia. bears N 68° W 10 W. dist. 8

a Do 8 " " " S 86° E 9 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 14 in. dia. bears N 81° W 26 W. dist. 8

a Do 9 " " " S 84° E 9 " "

Level land. Timber Beech, Ash, Oak &  
Vlgs. Spice

---

West on the S. Boundary of Sec. 35

40.00 set gr. sec. post from which

a Beech 12 in. dia. bears N 36° W 18 W. dist. 8

an Oak 10 " " " S 45° E 10 " "

80.00 set post cor. of sec. 34 & 35 from which

an Oak 9 in. dia. bears N 73° W 14 W. dist. 8

a Maple 12 " " " S 55° E 13 " "

Low wet land. Timber Ash, Maple &  
Vlgs. the same

---

West on the S. Boundary of Sec. 34

40.00 set gr. sec. post from which

a Beech 10 in. dia. bears N 13° E 35 W. dist. 8

a Do 12 " " " S 47° W 42 " "

80.00 set post cor. of sec. 33 & 34 from which

a Sycamore 15 in. dia. bears S 43° W 10 W. dist. 8

a Do 18 " " " N 43° E 24 " "

Land & same as last described.

---

West on the S. Boundary of Sec. 33

40.00 set gr. sec. post from which

a Sycamore 24 in. dia. bears N 57° W 26 W. dist. 8

a Lym 12 " " " S 37° E 17 " "

80.00 set post cor. of sec. 32 & 33 from which



T. 21 N., R. 4 E., S. 2. Mer. Ind.<sup>a</sup>  
 Chas. L. N.

a Sugar 9 in. dia. bears N 44 W 4 W. dist. 2  
 a Do 18 " " " S 72 W 13 " "  
 Level rich land. Timber Beech, Sugar, Pop-  
 lar & Upr. Spice. Soil good

West on the S. Boundary of Sec. 32

40.00 set of sec. post from which

an Ironwood 6 in. dia. bears N 81 W 28 W. dist. 8

a Beech 12 " " " S 53 E 10 " "

80.00 set post cor. of sec. 31 & 32 from which

a Beech 9 in. dia. bears N 72 W 14 W. dist. 3

an Ash 9 " " " N 65 E 5 " "

Land &c. same as last described.

West on the S. Boundary of Sec. 31

40.00 set of sec. post from which

a Sugar 20 in. dia. bears N 38 W 24 W. dist. 8

a Beech 18 " " " S 3 E 22 " "

82.88 Intersect W. Boundary 715 W. S. of temp. post-

set post at intersection cor. of T. 20 & 21 N., R. 3

S 4 E. from which

a Beech 18 in. dia. bears N 8 W 36 W. dist. 8

a Do 14 " " " S 35 W 24 " "

Land &c. same as last described.

East Boundary. Var. 5.35. E.

Bearings at cor. of T. 20 & 21 N., R. 4 & 5 E.

a Beech 10 in. dia. bears S 17 W 8 W. dist. 9

a Do 9 " " " N 72 E 16 " "

North on the E. Boundary of Sec. 36

30.50 a Branch 6 W. wide course S E

40.00 set of sec. post from which

a Beech 15 in. dia. bears S 33 W 19 W. dist. 8

a Boxelder 10 " " " N 67 E 38 " "

41.25 an V. Oak 20 " "

66.00 a Branch 15 W. wide course S E

T. M. N., R. 4 E. 2. Mer. Ind.  
 Ch. Sk?

71.50 a creek 75 Mts. wide course SE  
 80.00 set post cor. of sec. 25 & 30 from which  
 a Beech 12 in. dia. bears S 51 E 14 Mts. dist. 2,  
 a Do 9 " " " S 88 W 28 " "  
 Rolling land, good soil. Timber Beech, Ash,  
 Sugar, Oak. Upr. Spice, Dogwood &c.

North on the E. Boundary of Sec. 25

4.50 a W. Oak 27 in. dia.  
 40.00 set of sec. post from which  
 a Beech 7 in. dia. bears S 64 W 26 Mts. dist. 2,  
 a Do 10 " " " N 3 E 24 " "  
 47.50 a creek 50 Mts. wide course SW  
 67.53 an Elm 15 in. dia.  
 80.00 set post cor. of sec. 24 & 25 from which  
 a Beech 12 in. dia. bears N 69 W 17 Mts. dist. 2,  
 a Do 12 " " " N 45 E 47 " "  
 Land &c. same as last described.

North on the E. Boundary of Sec. 24

10.73 a Spruce 27 in. dia.  
 32.50 a creek 60 Mts. wide course SE  
 40.00 set of sec. post from which  
 a Beech 7 in. dia. bears S 45 E 30 Mts. dist. 2,  
 an Oak 9 " " " North 39 " "  
 49.70 an Ironwood 9 in. dia.  
 55.50 a creek 50 Mts. wide course SW  
 75.00 same creek " SE  
 79.80 Do " SW  
 80.00 set post in creek cor. of sec. 13 & 24 from which  
 a Beech 15 in. dia. bears S 55 E 40 Mts. dist. 2,  
 a Willow 6 " " " N 15 W 57 " "  
 Land &c. same as last described.

North on the E. Boundary of Sec. 13  
 23.74 a Beech 12 in. dia.

T. 21 N., R. 4 E. 2. Mer. Ind.<sup>a</sup>  
 Wm. E. W.

27.00 a Creek 50 Ws. wide course SE  
 40.00 set g. sec. post from which  
     a Beech 20 in. dia. bears N 25° W 15 Ws. dist. 8  
     a Do 9 " " " S 3 E 27 " "  
 46.25 a Walnut 30 " "  
 80.00 set post cor. of sec. 12 & 13 from which  
     a R. Oak 6 in. dia. bears N 67° W 3 Ws. dist. 23  
     an Elm 14 " " " N 81 E 15 " "  
 Level wet land. Timber Ash, Oak &c.  
 Upr. Spice, Pickly Ash &c.

North on the E. Boundary of Sec. 12

40.00 set g. sec. post from which  
     a W. Elm 20 in. dia. bears N 15 E 30 Ws. dist. 8  
     a Bur Oak 20 " " " S 31 W 21 " "  
 48.00 enter Swamp 4 Ws. wide  
 07.50 Entered S. Boundary of Miami Reservation  
     set post from which  
     a W. Oak 24 in. dia. bears N 67 E 17 Ws. dist. 8  
     an Junwood 6 " " " S 86 W 20 " "  
 Good level wet.

West Boundary, Var. 5. 36. E.

North on the E. Boundary of Sec. 36, T. 21 N., R. 3 E

20.36 a B. Oak 36 in. dia.  
 40.00 set g. sec. post from which  
     an Elm 21 in. dia. bears N 65° W 22 Ws. dist. 8  
     a Do 27 " " " N 60 E 3 " "  
 59.70 an Ash 9 " "  
 63.00 a Branch 12 Ws. wide course E  
 80.00 set post cor. of sec. 25 & 36 from which  
     a Beech 9 in. dia. bears N 18 E 36 Ws. dist. 8  
     a Do 8 " " " S 36 W 17 " "  
 Low wet land. Timber Ash, Beech, Sugar  
 &c. Upr. Spice

T. 21 N., R. 4 E. 2. Mer. Ind. a  
Chr. 5107

North on the E. Boundary of Sec. 25, T. 21 N., R. 3 E.  
40.00 set of sec. post from which

a Beech 10 in. dia. bears S 20 E 28 W. dist. 8,

a R. Oak 24 " " " N 29 W 17 " "

80.00 set post cor. of sec. 24 & 25 from which

a Beech 10 in. dia. bears N 65 W 32 W. dist. 4

a Sugar 24 " " " N 71 E 7 " "

Land &c. same as last described.

North on the E. Boundary of Sec. 24, T. 21 N., R. 3 E.

39.50 a Creek 75 W. wide course NE

40.00 set of sec. post from which

a W. Oak 30 in. dia. bears N 65 W 34 W. dist.

a Hickory 12 " " " N 19 E 33 " "

80.00 set post cor. of sec. 13 & 24 from which

a Beech 12 in. dia. bears N 52 E 15 W. dist. 8

a Do 12 " " " S 11 E 19 " "

Land &c. same as last described.

North on the E. Boundary of Sec. 13, T. 21 N., R. 3 E.

40.00 set of sec. post from which

a Sugar 24 in. dia. bears S 48 W 45 W. dist. 8,

an Ash 10 " " " N 23 E 45 " "

53.50 a Brook 10 W. wide course E.

71.82 Intersect S. Boundary of Miami Reservation,

set post from which

an Ash 10 in. dia. bears S 80 E 25 W. dist. 8,

a Do 10 " " " S 43 W 53 " "

Land level 2. rate. Timber Ash, Oak,

Elm. Upr. Spice

Surveyed in 1820 by John M. Donald

Deputy Surveyor.

Subdivision. Var. 5. 20. E.

North between Sec. 35 & 36

40.00 set of sec. post from which



T. 21 N., R. 4 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Ch. Lk.

a R. Oak 24 in. dia. bears N 85 E 33 W. dist. 8  
a Hickory 12 " " " N 74 W 16 " "

48.00 enter wet Prairie

52.00 a Brook 10 W. wide course SE

55.00 leave Prairie

80.00 set part cor. of sec. 25, 26, 35 & 36 from which

a Hickory 16 in. dia. bears S 71 E 12 W. dist. 28

a W. Oak 24 " " " N 57 W 69 " "

Set using 2<sup>d</sup> rate land. Timber Beech, Ash,  
Oak, Upr. Spruce

East on Pradum between Sec. 25 & 36

31.00 a trail N & S.

110.00 set temp. of sec. part

47.00 a Brook 10 W. wide course S.

69.00 a Do 10 " " " N.

71.50 a Do 10 " " " S.

78.00 a Creek 75 " " " SE

74.81 Intersect E. Boundary 80 W. N. of part—  
Land good 2<sup>d</sup> rate rolling. Timber Beech,  
Sugar, Ash, Upr. Spruce &c.

West Corrected between Sec. 25 & 36

39.90 set of sec. part at aver. dist. from which

a Beech 12 in. dia. bears N 12 W 11 W. dist. 8

a Do 16 " " " S 10 E 24 " "

74.81 to sec. cor.

North between Sec. 25 & 26

40.00 set of sec. part from which

a Swp. Ash 6 in. dia. bears N 86 E 19 W. dist. 8

a Do 8 " " " N 86 W 33 " "

75.00 enter Swamp

80.00 set part cor. of sec. 23, 24, 25 & 26 from which

a Willow 5 in. dia. bears N 76 W 14 W. dist. 8

no more trees

283

T. D. N., R. 4 E. 2. Mer. Ind.<sup>n</sup>  
Ch. Lk.

South half mile rolling 2<sup>d</sup> rate land. Timber  
Oak, Hickory, Beech. North half mile part  
same, part Swamp

---

Cart on Random between Sec. 24 & 25

8.50 leave Swamp

33.00 on trail, N & S.

40.00 set temp. gr. sec. post

79.66 Intersect E. Boundary 74 Ws. S. of post -  
Land level 2<sup>d</sup> rate, generally. Timber  
Oak, Ash, Hickory. Upr. Spice

---

West. Connected between Sec. 24 & 25

39.83 set gr. sec. post at aver. dist. from which  
an Ash 10 in. dia. bears N 32 E 11 Ws. dist. 8,  
a Sugar 12 " " " S 32 W 16 " "

79.66 to sec. cor.

---

North between Sec. 23 & 24

34.50 leave Swamp

40.00 set gr. sec. post from which

a Bur Oak 6 in. dia. bears N 25 E 27 Ws. dist. 8,

a W. Elm 14 " " " S 25 W 8 " "

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

a Beech 20 in. dia. bears N 44 W 14 Ws. dist. 8,

a R. Oak 24 " " " S 44 E 38 " "

South half mile Swamp. North half  
mile level 2<sup>d</sup> rate land. Timber Oak,  
Hickory, Beech. Upr. Spice &c.

---

Cart on Random between Sec. 13 & 24

32.00 on Indian trail

40.00 set temp. gr. sec. post

74.50 at creek 75 Ws. wide course S.

79.54 Intersect N & S. line 100 Ws. S. of post -

Land level 2<sup>d</sup> rate. Timber Beech, Ash, Oak



T. 21 N., R. 4 E. 2<sup>d</sup> Mer. Ind. Co.  
Chs. Sp.

Wgs. Spice

West Connected between Sec. 13 & 24

39.77 set q. sec. post at aver. dist. from which  
an Ironwood 6 in. dia. bears N 9 W 21 Ws. dist. 8  
a Beech 12 " " " S 43 E 15 " "  
79.54 to sec. co.

North between Sec. 13 & 14

40.00 set q. sec. post from which  
a R. Elm 12 in. dia. bears N 85 W 18 Ws. dist. 8  
a Beech 10 " " " S 79 E 39 " "  
71.00 a Brook 6 Ws. wide course E.  
80.00 set post co. of sec. 11, 12, 13 & 14 from which  
a Sugar 16 in. dia. bears S 12 W 10 Ws. dist. 8  
a W. Oak 16 " " " N 33 W 43 " "  
Land level 2<sup>d</sup> rate. Timber Beech, Ash, Oak  
Wgs. Spice

North between Sec. 11 & 12

31.00 a creek 75 Ws. wide course E.  
40.00 set q. sec. post from which  
an Ash 8 in. dia. bears N 64 E 27 Ws. dist. 8  
a Hickory 14 " " " S 52 W 30 " "  
55.50 Intersect S. Boundary of Miami Reserve, set  
post from which  
a Swamp Ash 12 in. dia. bears S 87 E 17 Ws. dist. 8  
a Do 10 " " " S 53 W 18 " "  
Land level 2<sup>d</sup> rate. Timber Beech, Ash, Oak.  
Wgs. Spice

East on Random between Sec. 12 & 13

10.50 a Brook 6 Ws. wide course NE  
22.50 a creek 75 Ws. wide course SE  
40.00 set temp. q. sec. post  
79.38 Intersect E. Boundary 82 Ws. S. of post -

T. 21 N., R. 4 E. 2. Mer. Ind.<sup>u</sup>  
 Chas. W.

Land on West half mile level 2<sup>d</sup> rate. Timber  
 Oak, Ash, Hickory. Upr. Spice. East half mile  
 level sweet.

West Connected between Sec. 12 & 13

39. 09 set of sec. post at aver. dist. from which  
 a Sugar 16 in. diam bears N 74 E 25 Mts, dist. 8,  
 a No 10 " " " S 10 E 24 " "

79. 38 to sec. cor.

North between Sec. 34 & 35

9. 50 enter Prairie

24. 00 leave "

40. 00 set of sec. post from which

a W. Oak 20 in. diam bears N 84 E 40 Mts, dist. 8

a Beech 16 " " " S 58 W 35 " "

80. 00 set post cor. of sec. 26, 27, 34 & 35 from which

a Beech 14 in. diam bears N 31 W 29 Mts, dist. 8

a No 14 " " " S 47 E 30 " "

Land South half mile Swamp. North half  
 mile level 2<sup>d</sup> rate. Timber Beech, Ash, Oak  
 Upr. Spice

East on Random between Sec. 26 & 35

25. 00 enter Prairie

30. 00 leave "

40. 00 set temp. of sec. post

79. 80 Intersect N. S. line 10 Mts. N. of post—

Land on East half mile level 2<sup>d</sup> rate. Timber  
 Beech, Ash, Oak. Upr. Spice. West half mile  
 level sweet. Timber Oak, Ash, Elm

West Connected between Sec. 26 & 35

39. 90 set of sec. post at aver. dist. from which

a Burr Oak 6 in. diam bears N 50 W 19 Mts, dist. 8

an Ash 10 " " " S 43 E 30 " "

T. 21 N., R. 4 E. T. Mer. Ind. a  
Ch. L. R.

79.80 to sec. cor.

North between Sec. 26 & 27

40.00 set g. sec. post from which  
a Beech 18 in. dia. bears S 80 E 3 1/2 M. dist. 8  
a Hickory 18 " " " N 37 W 34 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which  
a Beech 12 in. dia. bears N 63 E 12 M. dist. 8  
a Do 14 " " " S 44 W 23 " "  
Sand level & wet. Timber Oak, Beech, Ash,  
Upr. Picky Ash & Briers.

East on Random between Sec. 23 & 26

40.00 set temp. g. sec. post

55.00 enter Swamp

62.00 leave "

74.50 enter "

79.72 Intersect N. S. line 10 M. N. of post -  
Sand wet & flat. Timber Oak, Ash & Elm

West Corrected between Sec. 23 & 26

39.86 set g. sec. post at aver. dist. from which  
a R. Oak 14 in. dia. bears N 83 W 7 M. dist. 8  
a Sugar 12 " " " S 25 W 4 " "

79.72 to sec. cor.

North between Sec. 22 & 23

25.00 enter Swamp

35.00 leave "

40.00 set g. sec. post from which  
a Beech 16 in. dia. bears N 50 W 35 M. dist. 8  
a Ironwood 6 " " " S 68 E 14 " "

78.00 at Brook 6 M. wide course W

80.00 set post cor. of sec. 14, 15, 22 & 23 from which  
a R. Elm 18 in. dia. bears N 68 E 9 M. dist. 8  
a Hickory 14 " " " S 77 W 24 " "

T. 21 N., R. 4 E., 2<sup>d</sup> Mer. Ind.?

287

Chr. Spr.

Land level sweet. Timber Beech, Oak, Ash.

---

East on Random between Sec. 14 & 23

40.00 set temp. of sec. post

41.00 enter Swamp 6 Chr. wide

79.01 Intersect N & S. line at post—

Land level 2<sup>d</sup> rate. Timber Beech, Ash, Oak,  
Upr. Spruce

---

West Connected between Sec. 14 & 23

39.80 set of sec. post at aver. dist. from which

a Beech 12 in. dia. bears N 20 W 44 lbs. dist. 8

an Ash 10 " " " S 30 E 13 " "

79.01 to sec. cor.

---

North between Sec. 14 & 15

40.00 set of sec. post from which

a Beech 14 in. dia. bears N 45 E 30 lbs. dist. 8

a Hackberry 6 " " " S 53 W 14 " "

54.00 a creek 75 lbs. wide course E.

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

a Walnut 30 in. dia. bears N 53 E 33 lbs. dist. 8

a Beech 12 " " " S 20 W 53 " "

Land level 2<sup>d</sup> rate. Timber Beech, Oak, Ash  
Upr. Spruce

---

East on Random between Sec. 14 & 14

19.00 a creek 75 lbs. wide course NE

40.00 set temp. of sec. post

79.00 Intersect N & S. line 30 lbs. S. of post—

Land level 2<sup>d</sup> rate. Timber Beech, Sugar, Ash

---

West Connected between Sec. 14 & 14

39.80 set of sec. post at aver. dist. from which

an Ash 12 in. dia. bears S 68 E 25 lbs. dist. 8

a Beech 15 " " " N 35 W 30 " "

T 21 N., R. 4 E. 2. Mer. Ind. a  
Ch. Lk.

79.00 to sec. cen.

North between Sec. 10 & 11

40.00 set of sec. post from which  
a R. Oak 36 in. dia. bears N 65 E 34 Ws. dist. 8  
a Beech 14 " " " S 28 W 25 " "

42.20 Intersect S. Boundary of Miami Reserve,  
set post from which  
a Hickory 12 in. dia. bears N 42 E 4 Ws. dist. 8  
an Ash 14 " " " S 80 W 6 " "  
Land level & wet. Timber Oak, Ash, Elm

North between Sec. 33 & 34

11.00 a Brook 10 Ws. wide course E.

40.00 set of sec. post from which  
an Ash 18 in. dia. bears N 37 W 32 Ws. dist. 8  
an W. Elm 24 " " " S 37 E 13 " "

80.00 set post cor. of sec. 27, 28, 33 & 34 from which  
a Beech 18 in. dia. bears S 52 E 32 Ws. dist. 8  
a Sugar 16 " " " N 28 W 48 " "  
Land level & wet. Timber Oak, Ash, Elm, Upr.  
Spice & Pickly Ash

East in Random between Sec. 27 & 34

40.00 set temp. of sec. post

43.00 enter Prairie

79.80 Intersect N. S. line 13 Ws. N. of post—  
Land level & wet. Timber Beech, Ash, Oak, Spice

West Connected between Sec. 27 & 34

39.90 set of sec. post at aver. dist. from which  
an W. Oak 16 in. dia. bears S 75 E 34 Ws. dist. 8  
a Lk 24 " " " N 84 W 50 " "

79.80 to sec. cen.

North between Sec. 27 & 28

being



T. 21 N., R. 4 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Ch. Lks.

40.00 set of sec. port from which  
a Beech 10 in. dia. bears N 34° W 31 Ws. dist. 8,  
a Do 12 " " " S 47° E 14 " "

74.00 a Brook 5 Ws. wide course NNW

80.00 set port cor. of sec. 21, 22, 27 & 28 from which  
a W. Beech 6 in. dia. bears N 15° E 7 Ws. dist. 9,  
a Sap. Ash 10 " " " S 74° W 3 " "  
Land level 2<sup>d</sup> rate. Timber Beech, Oak, Sugar  
Upr. Spice

East on Random between Sec. 22 & 27

40.00 set temp. of sec. port

79.78 Intersect N & S. line at port -

Land on West half mile level 2<sup>d</sup> rate. Tim-  
ber Oak & Beech. Upr. Spice - East half  
mile level 2<sup>d</sup> rate. Timber Oak & Elm.

West Connected between Sec. 22 & 27

39.89 set of sec. port at aver. dist. from which  
a W. Elm 12 in. dia. bears N 29° E 18 Ws. dist. 9,  
a W. Beech 6 " " " S 5° E 25 " "

79.78 To Sec. cor.

North between Sec. 21 & 22

40.00 set of sec. port from which  
a Bur Oak 12 in. dia. bears N 71° W 29 Ws. dist. 8,  
a Mulberry 10 " " " S 53° E 29 " "

43.50 a creek 75 Ws. wide course NE

80.00 set port cor. of sec. 15, 16, 21 & 22 from which  
a Sap. Ash 15 in. dia. bears N 73° W 13 Ws. dist. 8,  
an Ash 6 " " " N 55° E 25 " "

Land on South half mile level 2<sup>d</sup> rate.

Timber Oak, Beech, Walnut. Upr. Spice

& Pawpaw. North half mile level 2<sup>d</sup> rate

Timber Oak, Hickory, Beech. Upr. Spice



T. 21 N., R. 4 E., T. 1 Mer. Ind.<sup>a</sup>  
Ch. Lk?

East on Random between Sec. 15 & 22

37.50 a creek 75 Yds. wide course NE

40.00 set temp. of sec. post

80.12 Intersect N. S. line 32 Yds. N. of post -

Land level rich. Timber Walnut, Oak,

Sugar. Ylps. Spice & Pawpaw

For corrected line, omitted here, see page 298

---

North between Sec. 15 & 16

5.50 enter Swamp

15.00 leave "

40.00 set of sec. post from which

a B. Walnut 24 in. diam bears N 15 W 9 Yds. dist. 8

a Beech 14 " " " S 15 E 32 " "

50.00 a Run 10 Yds. wide course E

65.00 enter Prairie

80.00 set post cor. of sec. 9, 10, 15 & 16 from which

a Bur Oak 6 in. diam bears N 52 E 33 Yds. dist.

No more trees.

Land level sweet. Timber Oak, Hickory, Elm

---

East on Random between Sec. 10 & 15

4.00 leave Swamp

46.00 set temp. of sec. post

79.42 Intersect N. S. line at post -

Land level 2-rate. Timber Oak, Hickory, Ash.

---

West Corrected between Sec. 10 & 15

39.71 set of sec. post at aver. dist. from which

a Beech 20 in. diam bears N 74 E 17 Yds. dist. 8

and Ash 24 " " " S 51 W 17 " "

79.42 to sec. cor.

---

North between Sec. 9 & 10

4.00 leave Swamp

22.50 a Brook 15 Yds. wide course E

29.00 Intersect S. Boundary of Miami Reservation,

291

T. 21 N., R. 4 E. 2. Mer. Ind. a.  
Ch. & Co.

set post from which  
a Beech 24 in. diam bears N 8 E 24 Ws. dist. 8,  
a Sugar 14 " " " S 19 W 29 " "  
Land level 2 rate. Timber Oak, Hickory, Beech.

---

North between Sec. 32 & 33

40.00 set gr. sec. post from which  
a Sycamore 30 in. diam bears N 82 E 10 Ws. dist. 8,  
a W. Elm 15 " " " N 48 W 40 " "  
80.00 set post cor. of sec. 28, 29, 32 & 33 from which  
a Swamp Ash 10 in. diam bears S 23 W 6 Ws. dist. 8,  
a Do 10 " " " N 23 E 39 " "  
Land level 2 rate. Timber Beech, Sugar, Ash.  
Wys. Spice &c.

---

East on Random between Sec. 28 & 33

40.00 set temp. gr. sec. post  
80.17 Intersect N & S line 42 Ws. N. of post—  
Land level 2 rate. Timber Oak, Beech & Ash.  
Wys. Spice

---

West Connected between Sec. 28 & 33

40.08 1/2 set gr. sec. post at aver. dist. from which  
a Beech 10 in. diam bears N 31 W 21 Ws. dist. 8,  
a W. Oak 24 " " " S 89 E 16 " "  
80.17 to sec. cor.

---

North between Sec. 28 & 29

40.00 set gr. sec. post from which  
an Ash 10 in. diam bears N 16 E 23 Ws. dist. 8,  
a Redbud 5 " " " S 36 W 22 " "  
46.50 a swampy stream 20 Ws. wide course E.  
80.00 set post cor. of sec. 20, 21, 28 & 29 from which  
an Ash 10 in. diam bears N 51 W 32 Ws. dist. 8,  
a Beech 10 " " " S 51 E 4 " "  
Land level 2 rate. Timber Beech, Oak,

T. 21 N., R. 4 E. 2. Mer. Ind. a

Chs. Spr.

Walnut. Upr. Spice &c

East on Random between Secs 21 & 28

31.00 enter Swamp

40.00 set temp. gr. sec. post

41.50 leave Swamp course NE

80.00 Intersect N. & S. line 58 Ws. N. of post—

East half mile wet and swampy. Timber Oak, Ash, Elm, Upr. Prickly Ash & Rose bushes. West half mile level rich. Timber Beech, Sugar, Ash

West Corrected between Secs 21 & 28

40.00 set gr. sec. post at aver. dist. from which  
an Ash 18 in. dia. bears N 84 E 125 Ws. dist. &  
no more trees near

80.00 to sec. cr.

North between Secs 20 & 21

23.00 a creek 50 Ws. wide course NE

40.00 set gr. sec. post from which  
a Beech 16 in. dia. bears N 7 E 27 Ws. dist. &  
an Ash 12 " " " " N 18 W 6 " "

50.00 a creek 25 Ws. wide course NE

80.00 set post cor. of sec. 16, 17, 20 & 21 from which  
a W. Elm 14 in. dia. bears S 64 E 20 Ws. dist. &  
an Ash 18 " " " " N 56 W 17 " "

Land rich & rolling. Timber Beech, Sugar, Ash  
Upr. Spice &c

East on Random between Secs 16 & 21

40.00 set temp. gr. sec. post

80.24 Intersect N. & S. line 50 Ws. N. of post—

Land level & wet. Timber Oak, Hickory, Ash

West Corrected between Secs 16 & 21

40.12 set gr. sec. post at aver. dist. from which

T. 21 N., R. 4 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>  
 Ch<sup>r</sup>. Sp.

a Bur Oak 12 in. dia. bears N70°W5 Mk. dist. 8  
 an Ash 14 " " S99°E12 "  
 80.24 to sec. cor.

North between Sec. 16 & 17

40.00 set of sec. post from which  
 a Sup. Ash 10 in. dia. bears N10°W31 Mk. dist. 8  
 a Beech 18 " " N80°E16 " "

46.00 enter Prairie

60.00 leave "

80.00 set post cor. of sec. 8, 9, 16 & 17 from which  
 a W. Elm 12 in. dia. bears S63°E16 Mk. dist. 8  
 a P. Elm 18 " " S73°W11 " "

Land on South half mile level 2<sup>d</sup> rate. Timber  
 Oak, Hickory, Ash — North half mile part  
 same, part wet Prairie

East in Random between Sec. 9 & 16

40.00 set temp. of sec. post

73.00 enter Swamp

80.14 Intersect N. S. line at post —

Land level 2<sup>d</sup> rate. Timber Oak, Hickory, Ash  
 W. Spruce

West Corrected between Sec. 9 & 16

40.07 set of sec. post at aver. dist. from which  
 a Hickory 18 in. dia. bears S48°W32 Mk. dist. 8  
 a W. Oak 18 " " N48°E18 " "

80.14 to sec. cor.

North between Sec. 8 & 9

10.50 Intersect S. Boundary of Miami Reserve,  
 set post from which

a Sup. Ash 12 in. dia. bears S67°W29 Mk. dist. 8  
 a Dr 6 " " N78°E9 " "

Land level & wet. Timber Oak, Ash, Elm

T. 21 N., R. 4 E., S. Mer. Ind.<sup>a</sup>

Chs. Sk.

North between Sect. 31 &amp; 32

40.00 set of sec. post from which

a Beech 16 in. dia. bears N 44 E 25 W. dist. 8

a Do 14 " " " S 22 W 22 " "

64.00 enter Swamp

80.00 set post cor. of sec. 29, 30, 31 &amp; 32 from which

a Sap. Ash 15 in. dia. bears N 39 W 25 W. dist. 8

a Do 12 " " " S 15 W 9 " "

South half mile good level farming land.  
Timber: Beech, Sugar, Ash, Upr. Spice. North  
half mile part same, part Swamp

East on Randon between Sect. 29 &amp; 32

12.00 leave Swamp

40.00 set temp. of sec. post

80.25 Intersect N. S. line 30 W. N. of post -

Land level Prater. Timber Oak, Hickory, Beech. Spice

West Corrected between Sect. 29 &amp; 32

40.12 1/2 set of sec. post at aver. dist. from which

a Beech 10 in. dia. bears N 56 E 25 W. dist. 8

a Do 10 " " " S 59 W 24 " "

80.25 to sec. cor.

West between Sect. 30 &amp; 31

30.00 leave Swamp

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 28 E 34 W. dist. 8

a Do 14 " " " S 17 E 25 " "

65.50 a creek 25 W. wide course N.

87.50 Intersect W. Boundary 12 W. S. of post -

set post at intersection cor. of sec. 30 &amp; 31 from wh.

a Beech 10 in. dia. bears S 82 W 6 W. dist. 8

a Do 10 " " " N 87 E 54 " "

Land low swampy. Timber Oak, Ash, Elm  
Upr. P. Ash, Alder



295

T. 21 N., R. 4 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>.

Ch<sup>a</sup> Sk<sup>a</sup>

North between Sec. 29 & 30

5.00 Offset

22.50 returned to line

31.00 a swampy stream 15 M<sup>a</sup>s. wide course E.

40.00 a W. Elm 10 in. dia. gr. sec. corner tree from which  
a Do 14 " " bears S 86° 7' 18" W 8 M<sup>a</sup>s. dist.

57.00 a stream 40 M<sup>a</sup>s. wide course E. Leave Swamp

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

an Ash 10 in. dia. bears N 39° 1' 29" W 8 M<sup>a</sup>s. dist. &

a Hickory 8 " " " S 14° 4' 17" " " "

Land South of Creek Swamp. Timber Maple,  
Willow, Alder - North of Creek land level &  
rich. Timber Beech, Oak, Walnut, Spice

---

East on Random between Sec. 20 & 29

5.00 a Brook 10 M<sup>a</sup>s. wide course S.

40.00 set temp. gr. sec. post

78.50 a creek 50 M<sup>a</sup>s. wide course NE

80.31 Intersect N. S. line 14 M<sup>a</sup>s. S. of post -

Land level 2<sup>d</sup> rate. Timber Beech, Ash, Oak  
W<sup>a</sup>s. Spice

---

West Corrected between Sec. 20 & 29

40.15<sup>h</sup> set gr. sec. post at aver. dist. from which

a Beech 10 in. dia. bears S 79° 0' 29" W 8 M<sup>a</sup>s. dist. &

a Do 14 " " " N 42° 4' 38" " " "

80.31 to sec. cor.

---

West between Sec. 19 & 30

29.00 a creek 40 M<sup>a</sup>s. wide course S.

40.00 set gr. sec. post from which

a Beech 12 in. dia. bears N 56° 0' 4" W 8 M<sup>a</sup>s. dist. &

a Do 12 " " " S 28° 4' 19" " " "

87.20 Intersect W. Boundary 106 M<sup>a</sup>s. S. of post -

set post at intersection cor. of sec. 19 & 30 from which  
a R. Oak 16 in. dia. bears N 45° 0' 33" W 8 M<sup>a</sup>s. dist. &



T. 21 N., R. 4 E., T. Mer. Ind.<sup>u</sup>  
Ch. Cr.

a Sup. Ash 10 in. dia. bears S 30 W 39 Yds. dist.  
Land level 2<sup>d</sup> rate. Timber Oak, Ash, Beech.  
Upr. Spice

North between Sec. 19 & 20

16.00 a Brook 10 Yds. wide course SE

40.00 set of sec. post from which

a Beech 10 in. dia. bears N 46 E 30 Yds. dist. 8

a Do 12 " " " N 84 W 36 " "

80.00 set post cor. of sec. 17, 18, 19 & 20 from which

a Hickory 10 in. dia. bears N 30 W 5 Yds. dist. 8

a Do 10 " " " S 24 E 26 " "

Land level 2<sup>d</sup> rate. Timber Oak, Hickory,  
Ash. Upr. Spice

East on Random between Sec. 17 & 20

40.00 set temp. of sec. post & a creek 25 Yds. wide c. S.

80.40 Intersect N. Line 10 Yds. S. of post -

Land level 2<sup>d</sup> rate. Timber Oak, Hickory, Ash  
Upr. Spice

West Connected between Sec. 17 & 20

40.23 set of sec. post at aver. dist. from which

an Ash 12 in. dia. bears S 56 E 48 Yds. dist. 8

a W. Elm 10 " " " N 29 W 13 " "

80.40 to sec. cor.

West between Sec. 18 & 19

40.00 set of sec. post from which

a Hickory 12 in. dia. bears N 29 W 14 Yds. dist. 8

a B. Ash 10 " " " S 2 E 14 " "

85.40 Intersect W. Boundary 15 Yds. N. of post -

set post at intersection cor. of sec. 18 & 19 from which

a Beech 24 in. dia. bears N 50 E 5 Yds. dist. 8

a Do 10 " " " S 69 W 34 " "

Land level rich. Timber Beech, Oak, Walnut,

297

T. 21 N., R. 4 E. 2. Mer. Ind.  
Chr. Spr.  
Hickory.

---

North between Sec. 17 & 18

40.00 set q. sec. post from which  
an Ash 10 in. dia. bears S 66 E 32 W. dist. 8  
a Beech 30 " " " N 66 W 22 " "

67.00 a creek 20 W. wide course E.

80.00 set post cor. of sec. 7, 8, 17 & 18 from which  
an Ash 8 in. dia. bears N 33 W 7 W. dist. 8  
a Hickory 6 " " " S 2 W 32 " "  
Land rich & rolling. Timber Beech, Sugar,  
Oak &c. Wgs. Spice & Prinos

---

North between Sec. 7 & 8

4.42 Intersect S. Boundary of Miami Reserve,  
set post from which  
an Ash 30 in. dia. bears S 20 E 13 W. dist. 8  
a Beech 14 " " " N 3 W 9 " "

---

West between Sec. 7 & 18

22.20 Intersect S. Boundary of Miami Reserve,  
set post from which  
an Ash 12 in. dia. bears N 74 E 25 W. dist. 8  
an Ironwood 5 " " " S 65 W 14 " "  
Land level 2<sup>d</sup> rate. Timber Oak, Hickory  
Ash

---

East on Random between Sec. 8 & 17

40.00 set temp. q. sec. post

80.14 Intersect N. S. line at post

Land level 2<sup>d</sup> rate. Timber Oak, Hickory, Ash

---

West corrected between Sec. 8 & 17

40.07 set q. sec. post at aver. dist. from which  
a Sugar 12 in. dia. bears N 7 W 24 W. dist. 8  
a Do 12 " " " S 7 E 13 " "

T. 21 N., R. 4 E. 2. Mer. Ind.

Chs. 1 &amp; 2

80.14 to sec. cor.

Omitted on page 290

West Corrected between Sec. 15 &amp; 22

40.06 set of sec. post at area. div. from which  
 a Mulberry 10 in. diam bears N 88 E 25 W. dist. 8  
 a Bur Oak 12 " " " N 70 W 48 " "

80.12 to sec. cor.

Surveyed in 1824 by James Worthington  
 Deputy Surveyor.

I certify that the foregoing transcript of  
 Field Notes of the survey of Township N. 21  
 North of Range N. 4 East of the 2. Principal  
 Meridian in the State of Indiana, has been  
 compared with the original on file in this  
 office, and found to be correct.

Surveyor General's Office  
 Cincinnati, Dec. 23. 1844

William Johnston  
 Sur. Genl.

Townships N<sup>o</sup>. 22, 23, 24 & 25 North,  
of Range N<sup>o</sup>. 4 East of the 2<sup>d</sup> Meridian  
in the State of Indiana, are situate in the  
Miami Reserve.

# INDEX MAPS.

## T.21 N. R. 4 E. 2 <sup>d</sup> Mer.

259	260	260	260	261	261
262 6	270 5	268 4	267 3	265 2	264 1
270	270	268	266	265	263
262 7	269 8	267 9	266 10	264 11	263 12
262 268					
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

## T.22 N. R. 4 E. 2 <sup>d</sup> Mer.

279	280	280	281	281	281
284 6	311 5	303 4	299 3	294 2	289 1
310	310	303 32	298	293	289
284 7	309 8	302 9	298 10	293 11	288 12
309	308	302	297	293	288
283 18	308 17	302 16	297 15	292 14	287 13
307	307	301	296	292	287
283 19	307 20	301 21	296 22	291 23	287 24
306	306	300	296	291	286
282 30	305 29	300 28	295 27	290 26	286 25
305	304	300	295	290	285
282 31	304 32	299 33	294 34	290 35	285 36
275	275	275	276	276	277

The figures on the lines refer to the page.

259.

Township No. 21 N. Range No. 4 E. 2<sup>nd</sup> Mer. Indiana;  
Ch. 1<sup>st</sup>

East Boundary.  
North of Indian Boundary.

Var. 4°35' E.

North On E. Boundary of Sec. 12.

12.50 Set post cor. to Sec. 1 & 12 p. wh.  
a W. Oak 10 in. diam. to N. 65 W. 46 lks.  
a Do 10 " " " 4.55 W. 39 "

Land sold first rate - Timber  
Oak, Ash, Beech, Sycamore, Gum,  
W. Wood, Sugar.

---

North On E. Boundary of Sec. 1

22.93 a Maple 8 in. diam.

24.00 Enter Swamp E. & W.

30.00 Leave Do E. & W.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

an Elm 14 in. diam. to N. 15 W. 22 lks. dis.

a Do 8 " " " 4.21 W. 23 " "

65.68 a W. Ash 8 " "

74.16 Intersetta Town Cor. at post

Land sold 2<sup>nd</sup> Rate - Timber  
Oak, Ash, Elm, Maple, Beech, Ironw.  
W. Wood &c - Dec. 2<sup>nd</sup> 1846.

---

North Boundary.

Var. 4.45' E.

N. 89.19' On N. Boundary of Sec. 31 T. 22 N. R. 4 E.

4.89 a W. Ash 10 in. diam.

39.20 Set 2<sup>nd</sup> Sec. post p. wh.

a W. Ash 8 in. diam. to N. 20 E. 33 lks. dis.

a Do 7 " " " N. 16 W. 44 " "

42.60 a Gum 20 " "

79.20 Set post cor. to Sec. 31 & 32 p. wh.

a Beech 12 in. diam. to N. 50 E. 21 lks. x

a Do 14 " " " N. 35 W. 38 "

Land sold first rate.



T21 N. R. 4 E, 2<sup>nd</sup> Mer. Indiana,  
cho. lks.

Beech, Oak, Ash, Elm, Lym.,  
Maple, W. Wood Ironw. Hicky. &c

189.19 E. On S. Boundary of Sec. 32. Var. 4.35' E.

2.72 a Walnut 8 in. diam. - T22 N. R. 4 E.

4.00 Enter Swamp N. E.

19.00 Clear Lc N. E.

32.50 a Stream 40 lks. wide co. North

35.00 a Trail N. & S.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a W. Ash 10 in. diam. N. 8 E. 30 lks. &

a Beech 8 " " " 24 W. 54 "

44.80 a B. Ash 8 " "

80.00 Set post Cor. to Sec. 32, & 33 p. wh.

a Beech 8 in. diam. N. 40 E. 42 lks. &

a B. Ash 10 " " " N. 60 W. 47 "

Land here not first rate  
soil - Beech, Ash, Oak, Lym., Hicky,  
Sugar, Elm, Maple, Buckeye, Ironw.  
White wood &c -

189.19 E. On S. Boundary of Sec. 33. Var. 4.35' E.

2.45 a Beech 8 in. diam. - T22 N. R. 4 E.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a W. Ash 10 in. diam. N. 40 E. 26 lks. &

a Beech 12 " " " 25 W. 46 "

43.75 a Lc 8 " "

80.00 Set post Cor. to Sec. 33, & 34 p. wh.

a Sugar 10 in. diam. N. 80 E. 16 lks. &

a Beech 7 " " " N. 80 E. 39 " "

Land here first rate soil  
Beech, Sugar, Walnut, Oak, White  
wood, Ironwood, Elm, Ash, Hickory,  
Lym., Maple, Buckeye &c -

189.19 E. On S. Boundary of Sec. 34. T22 N. R. 4 E.

T. 21 N. R. 4 E. 2<sup>nd</sup> Mer. Indiana  
Ch. Lk.

- 5.43 a Sym 8 in. diam.  
40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a W. Oak 18 in. diam. N. 15 W. 25 lbs. &  
a B. Ash 10 " " " N. 62 E. 37 "  
42.00 a Stream 20 lbs. wide co. S. E.  
42.68 an Elm 14 in. diam.  
68.00 Road N. & S. (Canton to Kokomo)  
80.00 Set just Cor. to Sec. 34 & 35 p. wh.  
a Beech 10 in. diam. N. 68 W. 17 lbs. &  
a Ho 8 " " " N. 60 E. 8 "  
Land here firm & rich clay  
Soil - Timber Beech Sugar. Oak. Ash.  
Elm, Walnut, Hickory, Maple, Sym.  
Buckeye &c -

N. 89. 19' 8. On S. Boundary of Sec. 35. T. 22 N. R. 4 E.

- 3.94 a W. Oak 14 in. diam.  
40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a B. Ash 8 in. diam. N. 23 E. 39 lbs. dia.  
a Ho 10 " " " S. 70 W. 11 " "  
45.85 a Hickory 20 " "  
80.00 Set post Cor. to Sec. 35 & 36 p. wh.  
a Beech 8 in. diam. N. 47 E. 29 lbs. &  
a Ho 7 " " " N. 40 W. 41 "

Land mostly corn & with  
water - Ash. Elm. Maple Oak.  
Beech. Sym. Buckeye &c

N. 89. 19' 8. On S. Boundary of Sec. 36. Var. 4.35' E.

- 4.55 a W. Oak 14 in. diam.  
40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
a Beech 10 in. diam. N. 30 E. 17 lbs. dia.  
an Iron 6 " " " N. 69 W. 33 " "  
43.50 a B. Oak 40 " "  
54.00 Road N. N. E. (Peru to Strawtown)  
80.00 Set post Cor. to Township 21 & 22 N.

T. 21 N. R. 4 E. 2<sup>nd</sup> Mer. Indiana,

chs. lks.

Ranges 4 & 5 East 1.50 South  
of Vermily, Town Cor. p. wh.

a B. Ash 10 in. diam. to N 65 W. 16 lks.

a Hickory. 14 " " " 4.44 E. 35 "

Land same as last mile

### West Boundary.

North On E. Boundary, of Sec. 13, T. 21 N. R. 3 E.

North of Indian Boundary,

1.00 a Stream 20 lks. under Co. T. W.

7.00 Same S. E.

8.18 Set post Cor. to Sec. 12 & 13 p. wh.

a B. Ash 10 in. diam. to S 20 W. 38 lks. &

a Beech 10 " " " N 10 W. 23 "

Land here all fine rate  
clay soil - Ash, Elm, Maple, Oak,  
Beech, Buckeye &c

North On E. Boundary, of Sec. 12, T. 21 N. R. 3 E.

2.50 a Road E. & W.

33.35 an Elm 16 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

a Beech 12 in. diam. to N. 60 W. 47 lks. &

a Ho 14 " " " 4.40 E. 29 "

50.00 Enter Swale E. & W.

59.31 a B. Oak 10 in. diam.

60.00 Leave Swale E. & W.

80.00 Set post Cor. to Sec. 1 & 12 p. wh.

a Beech 12 in. diam. to N 65 W. 55 lks. &

a W. Oak 18 " " " 4.58 W. 77 "

Land rolling fine rate. Tim.  
Oak, Ash, Beech, Sugar, Elm,  
Lynn, Maple, Hickory &c.

North On E. Boundary, of Sec. 1, T. 21 N. R. 3 E.

263.

T. 21 N. R. 4 E. 2<sup>nd</sup> Mer. Indiana.

chs. lks.

- 21.00 Enter Swamp. S. E.  
 29.00 Leave do S. E.  
 40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
     a B. Walnut 8 in. diam. to N 70 W 34 lks.  
     a Beech 10 " " " 48 E. 26 "  
 44.50 Road N E. & S. W.  
 47.00 a Stream 15 lks. wide co. S. E.  
 58.00 a B. Oak 24 in. diam.

74.74 Intersected Town Cor. at post  
     Land here first rate clay  
     soil - Beech, Ash, Elm, Oak, Hicky,  
     Sugar, Sycam, Maple, Walnut &c  
     Nov. 30. 1846.  
     Surveyed by John Mullett  
     Depy. Surveyor.

Subdivision

- Var. 435' E.
- North Between Section 11 & 12  
     N. of the S. Boundary of the Miami River  
 53.50 To S. Boundary of Reservation and retook  
     old bearings -  
     a B. Ash 12 in. diam. to 487 E. 17 lks. &  
     a do 10 " " " 453 W. 18 "  
     3.75 an Elm 15 " "  
 24.50 Set post Cor. to Sec. 1, 2, 11, 12 p. wh.  
     a Beech 24 in. diam. to N 70 E 35 lks. dis.  
     a do 15 " " " 434 E. 32 " "  
     Land here rather wet - good second  
     rate clay - W. & B. Ash, Sap. Oak, Beech,  
     Sugar, Sycamore, Sycamfe - P. Ash -

- East On Random Butte Sec. 1 & 12  
 41.00 Thawtown & Pine Road N & S.  
 79.00 Intersected E. Boundary. 98 lks. S. of post  
     Land here rather wet, good



264. T. 21 N. R. 4 E. 2<sup>nd</sup> Mer. Indiana.  
cho. lks.

2<sup>nd</sup> Rate clay soil - W. & B. Oak.  
Sycamore & Sycamore

---

Sept 15<sup>th</sup> Corrected Butte? Sec. 1 & 12

18.60 a B. Oak 10 in. diam.

39.50 Set 2<sup>nd</sup> Sec. for p. wh.

an Elm 18 in. diam. to S. 12 W. 23 lks.

a W. Ash 8 " " " N. 56 E. 25 "

58.90 a Beech 18 " "

79.00 to Sec. Cor.

---

North Between Section 1 & 2

16.10 a Sycamore 15 in. diam.

18.50 a Road N. E. & S. W.

40.00 Set 2<sup>nd</sup> Sec. for p. wh.

a Beech 12 in. diam. to S. 17 E. 37 lks. &

a do 14 " " " S. 16 W. 25 "

55.70 a B. Ash 15 " "

75.20 Intermittent N. Boundary 4.85 lks. E. of point &

Set for Cor. to Sec. 1 & 2 at intersection

a Beech 12 in. diam. to S. 51 W. 50 lks. &

a W. Ash 18 " " " S. 50 E. 50 "

Land here & wet good 2<sup>nd</sup> rate  
clay soil - Beech, W. & B. Ash, Maple, W. & B.  
Oak, Sycamore, Sycamore, W. Wood & P. Ash &c

---

North Between Section 10 & 11

42.20 T. S. Boundary of Reservation and retraced  
old bearings

a Hickory 12 in. diam. to N. 42 E. 4 lks. dis.

a W. Ash 14 " " " S. 60 W. 6 " "

3.20 a Shagbark Stream 10 lks. wide co. S. E.

11.80 a W. Ash 12 in. diam

37.80 Set for Cor. to Sec. 2, 3, 10, 11 p. wh.

a Sycamore 12 in. diam. to S. 26 E. 17 lks. &

an Elm 36 " " " N. 75 W. 25 "



265.

T. 21 N. R. 4 E. 2<sup>nd</sup> Mer. Indiana.  
chw. bk.

Lana Lure wt. - Good 2<sup>nd</sup> Rate.  
clay soil - Beech. Hick. Elm. W. B. Ash.  
Sycamore - P. Ash. Hazel & Spice -

---

N 89.15' E On Random Bitter Sec. 2 & 11

8.00 a Road N & S.

23.00 a Do N. & E.

64.00 a Road S. & W.

79.10 Intersected N & S. Line 10 k. S. of post.

Lana Lure wt. good 2<sup>nd</sup> rate  
clay soil - Elm. W. B. Ash. Hick. Elm.  
Syc. Sycamore, few Very wet  
in wet time - almost swamp.

---

N 89.15' W. Cornelia Bitter Sec. 2 & 11

12.00 a Sugar 18 in. diam

39.55 Set 2<sup>nd</sup> Sec. post p. wh.

an Elm 20 in. diam. to N 4 W. 39 k. &

a B. Ash 6 " " " N 20 E. 33 "

72.00 a Sugar 18 " "

79.10 to Sec. Cor.

---

North. Between Sections 2 & 3

5.00 a Muddyish Stream 10 k. wide cor. S. W.

11.00 Same " S. E.

30.00 a Road S. E.

30.90 a W. Oak 30 in. diam.

40.00 Set 2<sup>nd</sup> Sec. post p. wh.

an Elm 15 in. diam. to N 34 E. 13 k. dis.

a Hick. 10 " " " N 89 W. 35 " "

59.10 an Elm 12 " "

75.50 Intersected N. Boundary 1.00 E. of post, and

Set post Cor. to Sec. 2 & 3. at intersection

an Elm 15 in. diam. to S 3 W. 29 k. &

a Syc 12 " " " N 68 E. 50 "

Lana Lure wt. good 2<sup>nd</sup> Rate.

266.

T. 21 N. R. 4 E. 2<sup>nd</sup> Mer. Indiana.

ch. lks.

clay soil - Elm. W. B. Ash. Sycam. Sugar  
Oak, Maple, White wood Ironwood  
P. Ash. & Thorn - Jan'y. 6 - 1847

North Between sections 9 &amp; 10

29.60 To S. Bournet, of Miami Reservation and  
Retook old bearings

a Beech 4 in. diam. to N 8 E. 24 lks. &amp;

a Sugar 14 " " " N 19 W. 29 "

.68 a W. Ash 12 " " "

10.40 To L. Dr. Sec. first p. wh.

a Beech 24 in. diam. to N 38 W. 23 lks. dir.

a W. Oak 24 " " " N 45 E. 35 "

31.90 a Beech 12 " " " "

42.00 Enter Swamp E. &amp; W.

50.40 To L. first Cor. to Sec. 3. 49.10 p. wh.

a W. Oak 10 in. diam. to N 43 W. 36 lks. &amp;

a Maple 10 " " " N 45 E. 38 "

Land sure w<sup>t</sup> good 2<sup>nd</sup> Rate

clay soil - W. B. Ash. Maple, W. B. Oak,

Sycam<sup>r</sup>, Beech, Sycam<sup>r</sup> & - P. Ash. & HazelIn Sycam<sup>r</sup> - W. B. Oak, Maple, Ash, Elm.

Water deep - froze -

N 89.15 E. On Random B<sup>er</sup>th. Sec. 3 & 10

17.00 Leave Elm. Maple Swale N. &amp; S.

58.30 a Trail N. &amp; S.

76.50 a Stream 10 lks. wide cor. S. E.

78.60 Intermittent N. &amp; S. line 10 lks. N. of pool

Land sure w<sup>t</sup> good 2<sup>nd</sup> Rate

clay soil - W. B. Ash. W. B. Oak, Elm.

Maple, Sycam<sup>r</sup>, White wood, Ironwood,

P. Ash. Hazel &amp;

N 89.15 W. Corrected B<sup>er</sup>th. Sec. 3 & 10

9.10 a Sugar 18 in. diam.

267

T. 21 N. R. 4 E. 2<sup>nd</sup> Mer. Indiana.

Chs. lks.

39.30 Set 2<sup>nd</sup> Sec. post p. wh.  
 a W. Ash 12 in. diam. N. 48° E. 45 lks. x  
 an Elm 12 " " " N. 54 W. 19 "  
 59.80 a Hick'y. 12 " "  
 78.60 to Sec. Cor.

North Belvoir Sections 3 & 4

6.00 Lean Swamp. Exp W.  
 16.05 a Buck 10 in. diam.  
 40.00 Set 2<sup>nd</sup> Sec. post p. wh.  
 a B. Ash 12 in. diam. N. 77 W. 25 lks. x  
 an Elm 18 " " " N. 48 E. 36 "  
 66.65 a Hick'y. 18 " "  
 74.70 Intersection N. Boundary. 3.10 E. of post &  
 Set post Cor. to Sec. 3 & 4 at intersection  
 an Elm 24 in. diam. N. 34 E. 16 lks. dir.  
 a B. Ash 12 " " " N. 78 W. 60 " "  
 Sand much wet rather swampy.  
 good 2<sup>nd</sup> rate Clay soil - Elm. W. & B. Ash.  
 W. & B. Oak. Hick'y. - water all over this region

North Return Section 8 & 9

16.50 To S. Boundary of Reservation and  
 struck old bearings  
 a Hop. Ash 12 in. diam. N. 67 W. 29 lks. x  
 a Loc 6 " " " N. 78 E. 9 "  
 9.60 a W. Ash 12 " "  
 23.50 Set 2<sup>nd</sup> Sec. post p. wh.  
 a W. Ash 12 in. diam. N. 50 E. 25 lks. x  
 a W. Oak 36 " " " N. 68 W. 43 "  
 43.00 an Elm 18 " "  
 63.50 Set post Cor. to Sec. 4. 5.829 p. wh.  
 a B. Ash 15 in. diam. N. 66 E. 25 lks. x  
 a W. Oak 36 " " " N. 55 W. 40 "  
 Sand slightly rolling fine  
 rate Clay soil. Sugar. Hick'y. W. & B.

T. 21 N. R. 4 E. 2<sup>nd</sup> Mer. Indiana.  
Chs. lks

Ash. Lynn. W. B. Oak. B. Walnut &  
Spice & P. Ash

189.15 E. On Random Betw. Sec. 4 & 9

73.00 Enter Swamp No. 1.

80.40 Intersected No. 1. Line 10 lks. S. of port.  
Land slightly rolling first  
rate - Clay soil - Sugar, Hickory, W. B.  
Ash, Lynn. W. B. Oak. B. Walnut,  
W. Wood, Ironwood, Elm & Spice & P. Ash.

189.15 W. Corrected Betw. Sec. 4 & 9

20.30 a B. Ash 12 in. diam.

40.20 Set 2<sup>nd</sup> Sec. port. p. ash.

a Beech 12 in. diam. to N. 66 E. 35 lks. &

a Do 12 " " " S. 36 W. 50 "

60.50 a W. Beech 6 " "

80.40 to Sec. Cor.

North B. Crossed Sections 4 & 5

15.80 a Beech 10 in. diam.

40.00 Set 2<sup>nd</sup> Sec. port. p. ash.

a Beech 8 in. diam. to N. 61 W. 17 lks. dis.

a Do 12 " " " S. 67 E. 55 " "

54.80 a Hickory 10 " "

74.50 Intersected N. Boundary 2.50 E. of port.

Set port. Cor. to Sec. 4 & 5 at intersection

a Beech 10 in. diam. to N. 69 E. 20 lks. &

a W. Oak 48 " " " S. 48 E. 13 "

Land slightly rolling first  
rate - Clay soil - Hickory, W. B. Oak, Beech,  
White Wood, Ironwood, Ash, B. Walnut &  
No. much underbrush - Jan. 7<sup>th</sup> 1846

West On Random Betw. Sec. 7 & 18

22.20 To Reserve line & took old bearings



# 269

## T. 21 N. R. 4 E. 2<sup>nd</sup> Mer. Indiana

Chs. lks.

a W. Ash 12 in. diam. @ \$7.48. 25 lks. x  
an Ironb<sup>g</sup> 5 " " " \$1.65 W. 14 "  
63.00 Intersited W. Boundary 150 lks. N. of post  
Land rolling first rate clay  
soil - Beech, W. B. Oak, Hickory, B. Walnut.  
Ironb<sup>g</sup> - W. Wood, W. Ash, Spruce

N. 88° 45' E. Connected Betw<sup>g</sup> Secs. 7 & 18  
a Beech 18 in. diam. @ \$6.00 E. 66 lks. x  
a B. Ash 12 " " " \$7.38 E. 29 "  
20.50 a B. Oak 10 " " "  
45.20 Gel. 2<sup>d</sup> Sec. post pr. wh.  
a Beech 15 in. diam. @ \$3.98 E. 46 lks. x  
a Ho 15 " " " \$4.46 E. 46 "  
53.40 a B. Ash 12 " " "  
63.00 to River Line

North Between Section 7 & 8  
442 to S. Boundary of River Line and  
note old bearings  
a W. Ash 30 in. diam. \$2.00 E. 13 lks. x  
a Beech 14 " " " \$1.50 W. 9 "  
15.90 a Sluggish Stream 10 lks. wide co. S. E.  
16.90 a B. Ash 12 in. diam.  
35.58 Gel. 2<sup>d</sup> Sec. post pr. wh.  
a Sugar 15 in. diam. @ \$3.16 E. 16 lks. x  
a Spruce 10 " " " \$1.75 W. 32 "  
53.60 a W. Ash 10 " " "  
75.58 Gel. post Cor. to Secs. 5, 6, 7, 8 pr. wh.  
a Beech 18 in. diam. \$6.00 W. 46 lks. x  
an Ironb<sup>g</sup> 8 " " " \$1.63 E. 42 "  
Land slightly rolling first  
rate clay soil - W. B. Oak, Spruce, Sugar,  
W. Wood, Ironb<sup>g</sup>, W. B. Ash, Elm, B.  
Walnut &c - P. Ash &c -



270.

T. 21 N. R. 21 E. 2<sup>nd</sup> Mer. Indiana

chs. lks.

N 89.15 E. On Random Betw<sup>th</sup> Secs. 5 & 8

42.50 a Muggish Stream 8 lks. wide ca. 198.

80.15 Intersected N. &amp; S. line 8 lks. N. of post

Land slightly rolling first  
rate clay soil - W. B. Oak, Lym. Sugar,  
W. Ash, Elm, Hickory, Ironw<sup>ood</sup>, W. Wood etc

N 89.15 W. Corrected Betw<sup>th</sup> Secs. 5 & 8

20.30 a Hickory 18 in. diam.

40.00 1/2 Sec. 2<sup>nd</sup> Sec. post p. wh.

a Lym 8 in. diam. N. 55 W. 34 lks. dis.

a Sycamore 24 " " " S. 21 E. 4 " "

60.20 an Ironw<sup>ood</sup>? 6 " "

80.15 to Sec. 60.

West - On Random Betw<sup>th</sup> Secs. 6 & 7

69.00 Enter B. Ash Swale N. &amp; S.

79.00 Leave do N. &amp; S.

83.20 Intersected W. Boundary 50 lks. N. of post

Land level rather wet first  
rate clay soil - (open timber) W. B. Oak,  
Hickory, Lym. B. Walnut & F. Ash.

N 89.40 E. Corrected Betw<sup>th</sup> Secs. 6 & 7

a Birch 12 in. diam. N. 25 E. 30 lks. &amp;

a do 10 " " " N. 40 E. 8 "

23.00 a B. Oak 8 " "

43.20 1/2 Sec. 2<sup>nd</sup> Sec. post p. wh.

a B. Ash 12 in. diam. N. 40 E. 18 lks. &amp;

a W. Oak 30 " " " S. 36 W. 11 "

62.85 a B. Ash 8 " "

83.20 to Sec. 60.

North Between Sections 5 &amp; 6

23.60 an Elm 15 in. diam.

40.00 1/2 Sec. 2<sup>nd</sup> Sec. post p. wh.

T. 21 N. R. 4 E. 2<sup>nd</sup> Mer. Indiana. <sup>27</sup>

Chs. lks.

an Elm 12 in. diam. E. N. 54 E. 11 lks. dis.  
a B. Ash 10 " " " S. 51 W. 15 " "  
60.10 an Elm 10 " " "  
68.00 Enter Long Swale E. S. E.  
70.00 Clear Do E. S. E.  
74.00 Interspersed N. Boundary. 200 E. of -

Set post Cor. to Sec. 5 & 6. from  
a Beech 12 in. diam E. N. 63 W. 78 lks. x  
a Do 12 " " " S. 62 E. 31 "

Lana Soil firm sat. clay  
Soil - Hickory, Syrm. W. B. Oak, Beech,  
Sugar, Ironw. W. Wood - P. Ash &c -  
Jany. 8 - 1846.

---

### Genl. Description

This part Township is  
Level & wet, Soil is clay. good 2<sup>nd</sup> Rate  
Timber with W. B. Oak, W. B. Oak, W. Wood,  
Ironw. Syrm. Elm, Hickory &c -  
Spec. P. Ash &c -

---

I, J. A. H. Mullett do solemnly swear that in  
pursuance of a Contract, betw<sup>en</sup> Lucius Lyon Suror<sup>y</sup>  
Genl. of the U. S. for the States of Ohio, Indiana, Michigan  
and John Mullett Esq<sup>r</sup>; Suror<sup>y</sup> dated July 10<sup>th</sup> 1846. -  
And in strict conformity to the Laws of the U. S. and the  
instructions of the Suror<sup>y</sup> Genl. - I have Surveyed and  
Subdivided into Secs. Tract Township 21 N. R. 4 E. 2<sup>nd</sup> Mer.  
Indiana; And I do further solemnly swear that the  
foregoing are the true & original field notes of the said  
Survey & Subdivision executed as aforesaid by me for the  
said John Mullett - J. A. H. Mullett D. S.

Sworn & Subscribed to before me this 17. day of Mar.  
1847. H. T. Bachus. Justice of the Peace W. C. Mich.

---

T. 21 N. R. 4 E, 2<sup>nd</sup> Mer. Indiana.

I certify that the foregoing  
Transcript of the Field Notes of  
Township No. 21 N. in Range No. 4 E,  
2<sup>nd</sup> Meridian, Indiana, has  
been compared with the Original  
Notes in this Office, and found  
to be correct -

Surveyor General's Office  
Detroit. Nov. 1. 1849

Lucius Lyon,  
Chf. Sur.